

	Hits	Search Text	DBs
1	33	(375/375.ccls. or 375/137.ccls. or 375/354.ccls. or 375/359.ccls. or 375/368.ccls. or 375/316.ccls. or 375/136.ccls. or 375/147.ccls. or 375/149.ccls. or 375/150.ccls. or 375/340.ccls. or 375/368.ccls. or 375/130.ccls. or 342/48.ccls. or 342/90.ccls. or 342/95.ccls. or 342/96.ccls. or 342/99.ccls. or 701/213.ccls. or 701/214.ccls. or 701/215.ccls. or 701/207.ccls. or 701/200.ccls. or 340/426.19.ccls. or 340/426.18.ccls. or 340/426.1.ccls.) and (track\$7 with signal\$7) and pattern\$7 and estimat\$7 and GPS and "L1" and "L2" and @ad<"19991001"	USPAT
2	14	(375/375.ccls. or 375/137.ccls. or 375/354.ccls. or 375/359.ccls. or 375/368.ccls. or 375/316.ccls. or 375/136.ccls. or 375/147.ccls. or 375/149.ccls. or 375/150.ccls. or 375/340.ccls. or 375/368.ccls. or 375/130.ccls. or 342/48.ccls. or 342/90.ccls. or 342/95.ccls. or 342/96.ccls. or 342/99.ccls.) and (track\$7 with signal\$7) and pattern\$7 and estimat\$7 and GPS and "L1" and "L2" and @ad<"19991001"	USPAT

	Hits	Search Text	DBs
3	12	(375/375.ccls. or 375/137.ccls. or 375/354.ccls. or 375/359.ccls. or 375/368.ccls. or 375/316.ccls. or 375/136.ccls. or 375/147.ccls. or 375/149.ccls. or 375/150.ccls. or 375/340.ccls. or 375/368.ccls. or 375/130.ccls. or 342/48.ccls. or 342/90.ccls. or 342/95.ccls. or 342/96.ccls. or 342/99.ccls.) and track and signals and pattern and estimate and GPS and "L1" and "L2"	USPAT
4	1	S92 and (y\$1cod\$3 and p\$1cod\$3 and w\$1cod\$3) and @ad < "19991001"	US-PGPUB; USPAT
5	1	S92 and (y\$1cod\$3 and p\$1cod\$3 and w\$1cod\$3)	USPAT
6	17	S90 not S91	USPAT
7	29	(375/375.ccls. or 375/137.ccls. or 375/354.ccls. or 375/359.ccls. or 375/368.ccls. or 375/316.ccls. or 375/136.ccls. or 375/147.ccls. or 375/149.ccls. or 375/150.ccls. or 375/340.ccls. or 375/368.ccls. or 375/130.ccls. or 342/48.ccls. or 342/90.ccls. or 342/95.ccls. or 342/96.ccls. or 342/99.ccls. or 701/213.ccls. or 701/214.ccls. or 340/428.19.ccls.) and track and signals and pattern and estimate and GPS and "L1" and "L2"	USPAT

	Hits	Search Text	DBs
8	12	(375/375.ccls. or 375/137.ccls. or 375/354.ccls. or 375/359.ccls. or 375/368.ccls. or 375/316.ccls. or 375/136.ccls. or 375/147.ccls. or 375/149.ccls. or 375/150.ccls. or 375/340.ccls. or 375/368.ccls. or 375/130.ccls. or 342/48.ccls. or 342/90.ccls. or 342/95.ccls. or 342/96.ccls. or 342/99.ccls.) and track and signals and pattern and estimate and GPS and "L1" and "L2"	USPAT
9	2	"5541606".pn. and (("I1" near1 y\$5) same ("I2" near1 w\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	2	"5541606".pn. and (("I1" near1 y\$5) same ("I1" near1 w\$5) same correlat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	0	"5541606".pn. and (I1\$1y same I2\$1w)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	2	"5541606".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	0	"5541606".pn. and (I1\$1y with I2\$1w)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	61	lennen.in. and @ad<"19991001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	11	GPS and "L1" and "L2" and w\$1cod\$3 and y\$1cod\$3 and c\$1a\$1cod\$3 and p\$1cod\$3 and @ad<"19991001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	1	"4972431".pn.	US-PGPUB; USPAT; USOCR
17	6	("4457006" "4809005" "5293170" "5495499" "5541606" "5576715").PN.	US-PGPUB; USPAT; USOCR
18	12	(375/375.ccls. or 375/137.ccls. or 375/354.ccls. or 375/359.ccls. or 375/368.ccls. or 375/316.ccls. or 375/136.ccls. or 375/147.ccls. or 375/149.ccls. or 375/150.ccls. or 375/340.ccls. or 375/368.ccls. or 342/48.ccls. or 342/90.ccls. or 342/95.ccls. or 342/96.ccls. or 342/99.ccls.) and track and signals and pattern and estimate and GPS and "L1" and "L2"	USPAT
19	1	lennen-gary.in.	USPAT
20	34	lennen.in.	USPAT
21	10	(375/375.ccls. or 375/137.ccls. or 375/354.ccls. or 375/359.ccls. or 375/368.ccls. or 375/316.ccls. or 375/136.ccls. or 375/147.ccls. or 375/149.ccls. or 375/150.ccls.) and track and signals and pattern and estimate and GPS and "L1" and "L2"	USPAT

	Hits	Search Text	DBs
22	9	(375/375.ccls. or 375/137.ccls. or 375/354.ccls. or 375/359.ccls. or 375/368.ccls. or 375/316.ccls. or 375/136.ccls. or 375/147.ccls. or 375/149.ccls. or 375/150.ccls. or 375/340.ccls. or 375/368.ccls. or 375/130.ccls. or 342/48.ccls. or 342/90.ccls. or 342/95.ccls. or 342/96.ccls. or 342/99.ccls.) and track and signals and pattern and estimate and GPS and "L1" and "L2" and @ad < "19991001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	11	(375/375.ccls. or 375/137.ccls. or 375/354.ccls. or 375/359.ccls. or 375/368.ccls. or 375/316.ccls. or 375/136.ccls. or 375/147.ccls. or 375/149.ccls. or 375/150.ccls. or 375/340.ccls. or 375/368.ccls. or 342/48.ccls. or 342/90.ccls. or 342/95.ccls. or 342/96.ccls. or 342/99.ccls.) and track and signals and pattern and estimate and GPS and "L1" and "L2"	USPAT
24	7976	signal\$4 with track\$3 with (segment\$5 or component\$1) and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	7976	(signal\$4 with track\$3 with (segment\$5 or component\$1)) and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	9	"w-code" and (signal\$4 with track\$3 with (segment\$5 or component\$1)) and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
27	24	signal\$4 and track\$3 and (\$2code adj10 responsive adj10 (segment\$5 or component\$1)) and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
28	115693	signal\$4 and track\$3 and (segment\$5 or component\$1) and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
29	92	"4291409".URPN.	USPAT
30	81	"4291409".URPN. and \$2code	USPAT
31	0	"4291409".URPN. and w-code	USPAT
32	0	"4291409".URPN. and "w-code"	USPAT
33	0	radar and (code adj10 responsive adj10 (segment\$5 or component\$1)) and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	0	radar and (\$2code adj10 responsive adj10 (segment\$5 or component\$1)) and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	71	(\$2code adj10 responsive adj10 (segment\$5 or component\$1)) and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	66	signal\$4 and (\$2code adj10 responsive adj10 (segment\$5 or component\$1)) and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
37	50	signal\$3 and (code adj10 responsive adj10 (segment\$5 or component\$1)) and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	50	signal\$4 and (code adj10 responsive adj10 (segment\$5 or component\$1)) and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	1	("L1" or "L2") and (code adj10 responsive adj10 (segment\$5 or component\$1)) and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	55	(code adj10 responsive adj10 (segment\$5 or component\$1)) and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	0	gps and (code adj10 responsive adj10 (segment\$5 or component\$1)) and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	0	("W-code" adj10 "responsive to" adj10 (segment\$5 or component\$1)) and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	3	((segment\$5 or component\$1) with "W-code") and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001"))	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
44	1	(segment\$5 with "W-code") and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
45	6	(GPS with segment\$5) and "W-code" and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
46	891	GPS with segment\$5 and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	3	track\$3 and signal\$2 and pattern\$2 and estimat\$3 and GPS and "L1" and "L2" and segment\$5 and "W-code" and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
48	3	(track\$3 or monitor\$3) and signal\$2 and pattern\$2 and estimat\$3 and GPS and "L1" and "L2" and segment\$5 and "W-code" and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
49	2	track\$3 and signal\$2 and pattern\$2 and estimat\$3 and GPS and "L1" and "L2" and "W-code" and local\$2 and remot\$3 and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
50	67	(375/375.ccls. or 375/137.ccls. or 375/354.ccls. or 375/359.ccls. or 375/368.ccls. or 375/316.ccls. or 375/136.ccls. or 375/147.ccls. or 375/149.ccls. or 375/150.ccls. or 375/340.ccls. or 375/368.ccls. or 342/???.ccls.) and track\$3 and signal\$2 and pattern\$2 and estimat\$3 and GPS and "L1" and "L2" and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001")	USPAT
51	133	track\$3 and signal\$2 and pattern\$2 and estimat\$3 and GPS and "L1" and "L2" and (@prad<"19991001" or @rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
52	40	(375/375.ccls. or 375/137.ccls. or 375/354.ccls. or 375/359.ccls. or 375/368.ccls. or 375/316.ccls. or 375/136.ccls. or 375/147.ccls. or 375/149.ccls. or 375/150.ccls. or 375/340.ccls. or 375/368.ccls. or 342/???.ccls.) and track and signals and pattern and estimate and GPS and "L1" and "L2"	USPAT
53	75	(375/375.ccls. or 375/137.ccls. or 375/354.ccls. or 375/359.ccls. or 375/368.ccls. or 375/316.ccls. or 375/136.ccls. or 375/147.ccls. or 375/149.ccls. or 375/150.ccls. or 375/340.ccls. or 375/368.ccls. or 342/???.ccls.) and track\$3 and signal\$2 and pattern\$2 and estimat\$3 and GPS and "L1" and "L2"	USPAT

	Hits	Search Text	DBs
54	0	wentou.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	0	wontou.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	1	(wenton.in.)	USPAT
57	0	(wonton.in.)	USPAT
58	0	(wonten.in.)	USPAT
59	4	(lenner.in.)	USPAT
60	32	(lennen.in.)	USPAT
61	0	(wenten.in.) and track and signals and pattern and estimate and GPS and "L1" and "L2"	USPAT
62	1	(wenten.in.)	USPAT
63	55	((signals) with (track or tracker or tracking)) and (signal with (part or parts or component or components)) and (GPS and ("L1" or "L2")) and pattern and timing and (@rlad < "19991001" or @ad< "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
64	55	((signals) with (track or tracker or tracking)) and (signal with (part or parts or component or components)) and (GPS and ("L1" or "L2")) and pattern and timing and (@rlad < "19991001" or @ad< "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
65	78	"4809005".URPN.	USPAT

	Hits	Search Text	DBs
66	133	("4754465" "4758959" "4807256" "4847862" "4890233" "4894662" "4910526" "4922212" "4928106" "4965586" "4970523" "D314713" "D314963" "5043736" "5075694" "5089822" "5101416" "5108334" "5109344" "5111150" "5119101" "5134407" "5144318" "5146471" "5148179" "5157697" "5165109" "5173715" "5187450" "5202694" "5202829" "5210540" "5219067" "5223844" "5225842" "5239669" "5247469" "5265025" "5266948" "5268064" "5268695" "5272485" "D343383" "5282228" "D344942" "5293170" "5296861" "D346170" "5306971" "D347436" "5311149" "5311197" "5313069" "5313457" "5319374" "5321799" "5323152" "5323322" "5329549" "5334974" "5337243" "5345244" "5347284" "5347536" "5347546" "5349530" "5355140" "5365192" "5365451" "5365516" "5367463" "5375059" "D354451" "D354452" "5383127" "5390124" "5390207" "5402347"	USPAT

		"5402450" "5406491" "5408193" "5412660" "5412687" "5414729" "5416712" "5418537" "5420593" "5422813" "5422814" "5422816" "5424953" "5430654" "5432841" "5436632" "D361569" "5448773" "5450344" "5450448" "5452211" "D363488" "5465413" "5467095" "5469360" "5471218" "D365032" "D365292" "5479351" "5485161" "5485163" "5486834" "5490076" "5493588" "5493694" "5495257" "5495499" "5504491" "5537121" "5537323" "5541592" "5541845" "5552990" "5572218" "5583513" "5610815" "5612972" "5619212" "5689252" "5742922" "5901171" "6041280" "6125325" "6236937" "6292749").PN.	
67	22	"4970523".URPN.	USPAT
68	2	("4751512" "4797677").PN.	USPAT

	Hits	Search Text	DBs
69	43	((signals) with (track or tracker or tracking)) and (signal with (part or parts or component or components)) and (GPS and ("L1" and "L2")) and pattern and timing and (@rlad < "19991001" or @ad< "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
70	14	((signals) with (track or tracker or tracking)) and (signal with (part or parts or component or components)) and (GPS and ("L1" and "L2")) and pattern and timing and (@rlad < "19991001" or @ad< "19991001")) and (((signals) with (track or tracker or tracking)) and (GPS) and components and pattern and timing and (@rlad < "19991001" or @ad< "19991001") and (375/???.ccls.))	USPAT; EPO; JPO; DERWENT; IBM_TDB
71	159	((signals) with (track or tracker or tracking)) and (signal with (part or parts or component or components)) and ("L1" and "L2") and pattern and timing and (@rlad < "19991001" or @ad< "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
72	130	((signals) with (track or tracker or tracking)) and (signal with (part or parts or component or components)) and (GPS) and pattern and timing and (@rlad < "19991001" or @ad< "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
73	123024	((signals) with (track or tracker or tracking)) and (signal with (part or parts or component or components)) (GPS) and (@rlad < "19991001" or @ad< "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
74	412	((signals) with (track or tracker or tracking)) and (signal with (part or parts or component or components)) and (GPS) and (@rlad < "19991001" or @ad< "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
75	882	((signals) with (track or tracker or tracking)) and (GPS) and (@rlad < "19991001" or @ad< "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
76	41	((signals) with (track or tracker or tracking)) and (GPS) and components and pattern and timing and (@rlad < "19991001" or @ad< "19991001") and (375/???.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB
77	6	((multiple same signals) with (track or tracker or tracking)) and (GPS) and components and pattern and timing and (@rlad < "19991001" or @ad< "19991001") and (375/???.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB
78	6	((multiple with signals) with (track or tracker or tracking)) and (GPS) and components and pattern and timing and (@rlad < "19991001" or @ad< "19991001") and (375/???.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB
79	566	((signals) with (track or tracker or tracking)) and (GPS) and components and (@rlad < "19991001" or @ad< "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
80	218	((signals) with (track or tracker or tracking)) and (GPS) and components and pattern and (@rlad < "19991001" or @ad< "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
81	148	((signals) with (track or tracker or tracking)) and (GPS) and components and pattern and timing and (@rlad < "19991001" or @ad< "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
82	2	((multiple adj signals) with (track or tracker or tracking or follow or follower or following)) and (GPS) and (@rlad < "19991001" or @ad< "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
83	1	((multiple adj signals) with (track or tracker or tracking or follow or follower or following)) and (GPS and "L1" and "L2") and (@rlad < "19991001" or @ad< "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
84	35	(signal adj based) and signals and (track or tracker or tracking or follow or follower or following) and (GPS and "L1" and "L2") and (@rlad < "19991001" or @ad< "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
85	39	(signal adj based) and signals and (track or tracker or tracking or follow or follower or following) and (GPS and "L1" and "L2")	USPAT; EPO; JPO; DERWENT; IBM_TDB
86	18735	(signal adj based) and signals and (track or tracker or tracking or follow or follower or following)	USPAT; EPO; JPO; DERWENT; IBM_TDB
87	29396	(signal adj based) and signals	USPAT; EPO; JPO; DERWENT; IBM_TDB
88	52316	signal adj based	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
89	0	track adj one adj signal adj based adj on adj another adj signal	USPAT; EPO; JPO; DERWENT; IBM_TDB
90	0	track adj one adj signal adj based adj on adj another adj signal	USPAT
91	52	(track or follow) and (target or target or signals or signal) and pattern and estimate and component and GPS and "L1" and "L2" and (@rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
92	13	(track or follow) and (target or target or signals or signal) and pattern and estimate and GPS and "L1" and "L2" and (@rlad < "19991001" or @ad < "19991001") and 375/???.ccis.	USPAT; EPO; JPO; DERWENT; IBM_TDB
93	74	(track or follow) and (target or target or signals or signal) and pattern and estimate and GPS and "L1" and "L2" and (@rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
94	64	track and signals and pattern and estimate and GPS and "L1" and "L2" and (@rlad < "19991001" or @ad < "19991001")	USPAT; EPO; JPO; DERWENT; IBM_TDB
95	32	track and signals and (signal with (components or parts or sections or sectors)) and pattern and estimate and GPS and "L1" and "L2"	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
96	7	(375/375.ccls. or 375/137.ccls. or 375/354.ccls. or 375/359.ccls. or 375/368.ccls. or 375/316.ccls. or 375/136.ccls. or 375/147.ccls. or 375/149.ccls. or 375/150.ccls.) and track and signals and (signal with (components or parts or sections or sectors)) and pattern and estimate and GPS and "L1" and "L2"	USPAT